Approved For Release	2001103 PONTINE HOHEL2-	00457R007300450014-1
----------------------	-------------------------	----------------------

					CENT	TRA L		LLIG	ENC	E 4GI	ency										
Taucha Tachana	OTT CTT - LEAD BY				Ç. He	3 4.		LE A	H B	•	- 8 <del>9</del>	·	1	, D		L —				metric tons.	10
Indust	*	3			8	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1	00000	# # # # # # # # # # # # # # # # # # #			A 15 G				\$ B P	# # #		7 H M P P P P P P P P P P P P P P P P P P		210
ams Diesel		3. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.				15	8 8 8	20	***	5.0	3	# 3 & G	7 4 1 2		***************************************	* * * * * * * * * * * * * * * * * * * *	电影音乐器	7 2 3 3	15		60
EDDERITZ Gasoline		The state like the state of	1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	F 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	15	80	20		3 8 8	Check to the late.	3 3 2	***************************************	0.00	3 1 3	7 * 4 6 B	No. Cife also was but.	1 3 11	of the state of		55
Senzol 3enzol	<b>c</b> co	· · · · · · · · · · · · · · · · · · ·	2	<b>.</b>	to	76	76	09	0	9	70	5 % C E O 4	基础 电原态电	772		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ယ	# # # # # # # # # # # # # # # # # # #	30		877
TEITE	2	9 0 1		#		80	9 <b>9</b>	**	# # # # # # # # # # # # # # # # # # #	母母母公司	90			\$ 8 8 9	3 4 1 3	+ + + + + + + + + + + + + + + + + + + +		en en by se co	100		240 -1-
Gasoline Di	45 TO 62 OF 65	4 to 40 to 20	# # # # # # # # # # # # # # # # # # #	3 8 2	9	40	20	はは日本	8 2 2		20	3	37 <b>45 2.</b> 28 11	題 お 赤 河 東	and the test with the		7 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				077
JOCKF Piesei	1) 2 2 2	7. 6.00 11.00		4 4 4		1,450	150	250	120	140	200	15		30	202		3 H 3 H 3 H 3 H 3 H 3 H 3 H 3 H 3 H 3 H		76 76 76 76 76 76 76 76 76 76 76 76 76 7	2.755	3
Resoline Die	8		i,	7 1 1 1		450	13 B B (C C)	210	0 # # \$ \$	325	150	40	\$ C.	Martin Constitution of the	100	ÇŢ.	g: 11 15	B 5 3 12 13	008	2,750 (sic) 2,755	
			asumers		Oviet Control Commission			ાં છે.	TOF	ITH	ΑL	ពីជា	a u	<b>&gt;</b>		-			lten	ocessing 10TAL	
Justomer	GSCV	. ppr پرماز	Arane mits Surgers  o trolled Consumers	Aoyinqnugor For⊓	Poviet Contro 7	exony exony	Oaxony-Anhalt	Frandenburg S	Gecklenburg 9	Shuringia	₩. Hilin	Ost & Telegraph	Cronss & Earths	Artsnpul Arts 457F	\$007 \$007	2004	81x500	<b>s</b> alth •	19. Afserves 20, AFC loros - ve	21. For further processing TCTAL	
r`	A	۸ppr	oved	For i	⊀eie ∴*	ase ភ			#⊌5 ੴ	FE IA	₩KL	)4782 ?? ?	13. •004			<b>₹</b> 004	#PUI	<u>පූ</u> 4- දේ	19, R 20, A	ट्रा <sup>ड</sup> मुट	

TARINED FOR MOTION AND EXSTRIBITION OF STWIRFFIES LIGHTS TORRE, TANIDARY 1951, FOR VER PLANTS

Approved For Release 2001/03 06 CENTRAL INTELLIGENCE AGENCY The figures are all in TABLE B MOTE: 3,400 2,900 **建学者表** 7,110 120 9,000 58 1,400 Š 275 1,500 140 8 THE PARTY AND ADDRESS. \$,000 S 3,200 1,100 9,315 TOTAL

PLATURED TESTIBUTION AND TODUCTION OF STUTUETIC LIMIT TUELS, JANUARY 1951, FOR SAG PLANTS

Z Gasoline

etrolsum

œ

Gasolina 120

Customer

L E

Approved For Release 2001/03/05 CIA REPRO 00457R007300450014-

Approved For Release 2000/103/05 : CILCHER ENTIRE R007300450014-1

CENTRAL INTELLIGENCE AGENCY

- 3 -

TABLE B (Continued)

O E LZAU COUNTION OF SYMPOLIC II UID WORLS, JAMENY 1951, FOR CAG -IANTE R C S I I Z Gasoline Diesel 4 3 5 6 ... 310 50 140 9 4 2 3 . SCTEARZHEIDE Gasoline Diesel Solvents 000,1 220 1,090 250 2,340 450 150 03 A 40 40 40 40 1,000 8 450 \*\*\*\* Dur Prote . CTA HOLD DISTAINED CH AND S E W 860 420 8 多号布商业 3,010 KOE 800 8 150 and cap may the wat and the second \*\*\*\* A U Diesel 800 120 200 \* \* \* \* \* \*\*\* 2 -ĽΩ Gasoline е**н** |--800 TCTAL Customer 14. 6.2 C.4

NOTE: The figures are all in metric tons.

CENTRAL INTERLIGENCE AGENCY

25X1A

TABLE C

TAUCHA	Industrial Benzine	李春 是 實際	· · · · · · · · · · · · · · · · · · ·	Minute with car car.	3 <b>3 4 4 8 5</b>	# 1 3 5 7		And the state of t	ute was may be ear	to be later on con-	and to the	there are the des	off-scal also, has effe		<b>留意以</b> 作自				\$ 3 1 0 9		* * * * * * * * * * * * * * * * * * *	240	240	
RITZ	Diesel	1 1 2	Section 18 and 18	THE NAME AND PART	\$ \$ \$ \$	9 7 5 2	EG.	9	20	H 5 9		COLUMN STREET,			# # # # # # # # # # # # # # # # # # #	* 1155		****	1	***	8 8 9 8		35	-
EDDE	Gasoline D			? 3 3	7 7 1 4 5		15	20	20			\$ 10 m		9	20 4 40 50 54	0 6 8 9 6	\$ 8 0	3 9 8 9 1		0 8 0 8	1 h 6 7 h	****	55	
ERKNER	Benzol	LG.	1	30	ល	ည	08	75	65	45	29	8	68 10 01 10 10 10 10 10 10 10 10 10 10 10	1 4 4 4	19 St. 19 Line (18 Cit)	1	## 0# @ ## CD	9 8 2 8 7	8 1 7 7 1	80	9 5 7 9	100	482	
LEITE	Diesel	***************************************	3 8 3 3		***	8 B B B B B B B B B B B B B B B B B B B	80	02 •	***	2	\$ # # # # # # # # # # # # # # # # # # #	1 9 5 5	1000000000000000000000000000000000000	****	\$ \$ \$	1			3 3 8 5	22	* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		125	
HERRENTEITE	Gasoline	31 2 3 3	a t t			** 1 CF 10 TF	15	40	***	***	香花母鹭	40	15	(17) E				7 1 2	50 650 F	F 1 0 2 4	* 5 3 9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	110	1
DORF	Diesel	5 † ¢	5	Care Die 472, das 440	11 6 2 3	3 9 9	1,500	200	180	240	210	800	01	22	30	100	3 :	9 9 9 9		1 .	* * * *		3,295	, C
LUZKENDORF	Gasoline		ge sa an to to so	3	1241	) ) )	800		180		120	150	09	9 6 8	1 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	100	15	1	ស	1,290	1		2,700	The Charmen
	Customer	o prof	200	**	খ	ວັ	6.	7°	ක්	ගී	10,	,—( ,—(	12,	13.	14.	15.	38.	17.	18.	19.	20°	21.	TOTAL	, : ::::::::::::::::::::::::::::::::::

PLANNED PRODUCTION AND DISTRIBUTION OF SYNTHEMIC LIQUID FURIS, FEBRUARY 1951.

NOTE: The figures are all in metric tones

Approved For Release 2001/13/05 (CONFIDENCE DE 200457R007300450014-1

Approved For Release 200 (0000 ENTARDP82-00457R007300450014-1

CENTRAL INTELLIGENCE AGENCY

TABLE D

五 b b	,			Ą		0	0	0	22	cu	0	ş	a	ß		,	ı	Į.			. 3	1 ~		
ZHEIDE				,	**************************************	150		09 00	75	ST.	~	-		******	750		*****	****	*******		0	000 %		
SCHHARZHEIDE Gasoline Diesel Solven	A1.70.70.70.70.70.70.70.70.70.70.70.70.70.			•	•			600 1,200	800	the design was subjected.	4		* 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2						904242	70 SE 10 PR 40 CD	1,200	2 400		
		Cir and Cir and Circ and	and the state of t		****		2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			ğ		9			9 9 6 6			Appropriate the case of the ca		2010	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	000		
LEUNA Gasoline		4,500		E 4			1,200			500	1,000		A 40 40 40 19 19 19 19 19 19 19 19 19 19 19 19 19		250	•	100	*****	240	9 5 4 11 18 18	1 1 2 2	9.500	) ) 3	
T Z Diesel	***	16,500	***	160	120	500	1,200	800	900	200	State on the second		9 8 8 8 7	****	800	50	19 y 2 5 5 5	10	1	80	* * * * * * * * * * * * * * * * * * * *	27, 145		
Z E I T Gasoline	Sham to be seen	3,000	275	***************************************	90	800	200	2,000	1,600	800	750	100	226	125	200	100	120	90	****	200	3 3 3 3	11.410		
E M Special Gas.	1,200	6,500	160	10 电影	9 2 9 3 5		***				******	8 9 8 3 5	948982		9 1 9 3	D			****	4 4 5 5		7.700	smuth AG	
B H L	100	4,000			150	2000	006	4 0 0 1			*****	20	150	200	4 4 4 6	200			****	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1	6.250	ine to Tish	
S O Casoline	2002	2,000	3 · · · · · · · · · · · · · · · · · · ·	100	100	\$,000 £	1,000	2) A 10 10 10 10 10 10 10 10 10 10 10 10 10		1,500	200	5 <b>8</b> 8 3 7 8	4 2 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		7	1000	***		10 2 2 2 5	45 age '56' day day	10,400	20	
Gustoner	ٽ پسر	%	ຶ່	4	ໜື		2.		o,	10,	-	12.		14.	15.	16.	170			- 14	21.	TCTAL	ច្ច ទូ 7300	

PLANTED PROJUCTION AND DISTRIBUCION OF SIGNIFICIAL LIQUID FUGIS, FGBRUARY 1961, FOR CAG PLANTS

Approved For Release 20(1) RDP82-00457R007300450014-1

SECKET

CENTRAL INTELLIGENCE AGENCY

TABLE D (Continued)

25X1A

≖ 6 **=** 

																,									
A CI	Diesel	- Characteristics	3 6 1 6	****	1				200		58		250	200	) (		500	3	5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2	2				1,510
TO BE DE	Gasoline	Although the second second second	44 45 40 51 51		i i i i i i i i i i i i i i i i i i i	3 6 8		* §	20	150	1 1	3	1	6: 1 1		20	<u>;</u>	)	(C)	. 7 8 9 13	用		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	200
NESC	Diesei		***		20 00 00 00	3.1	1000 1000 1000 1000 1000 1000 1000 100	. 8 9 9	608	009	006	300	001	20	150	100		1 1	9 3	to an se ob es	8 0 9	13 8 8 0	Di Chi wa Usaria		5,000
国に	Gasoline Diese			***	***	1 90	3		200	1	# C # C	160	e :: 1 8 1	3	120	100	1 8	30 SH 50	5		160		de en might de		800
SAU	Diesel	1			1 4 4 5 7	9 1	****	1	9 8 8 9	1 2 4 3 5	* * * * * * * * * * * * * * * * * * * *	1	8 6 2	1 1 1	***************************************	9 9 9	1	3 8	10 10 10 10 10 10	27 W W W 24 DE	2,700	i	3 27 10 10		2,700
GOBLSAU	Gasoline	11 M 14 GO		-	# # # #	the Paule opt an		120	410	***	1 1 2 1	110	240	## ## ## ## ## ## ## ## ## ## ## ## ##	<b>通身车子</b>		4 6 60	1		\$ 1 2 2	120	***	Mary and an and		7,000
-2	Ruel Cil	3 3 3 3		7 6 8	1 1 1	***************************************	2 3 4 6 8	200	500	100	800	250	380	1 0 0	2 B	250	520	3 8 8 8 8	원 8 8 8	9	4 1 6 1	1 0 2 3 4 3 4	7 . 3 % 18 18 18 18 18 18 18 18 18 18 18 18 18	000	000000 00000
1 7 0	TeseT	* * * *	1 2 2 3 4		3 8 9 7	9	-	9 8 8 3	006	1,100	1	009	750	150	250	8	200	15	9	80	100	111111111111111111111111111111111111111	72	4 500	>>> *
7 VI	dasortus	中等	1		40 44 34 74 04	******	13 15 15 16 16	76 M of 15 M of 15	120	* * * * * * * * * * * * * * * * * * *	10 年 2 年 10 日 10	650	100	1 2 4	1	3 2 4 4 5	3 1 1 1 2	*	# E E E E	) d		***************************************	1 2 R	006	<b>&gt;</b>
		<b>5</b> ,3		•	13	ŏ	is.	3	65	9		0	ه. • • •	3	,			<b>o</b> 1	٥	න් .	ගී (	60	•	TOTAL	

Customer

-LAIMED PRODUCTIOT AND DISTRIBUTION OF SYNTHETIC LIGUID FUBLS, FEBRUARY 1951, FOR SAG PLANTS

Approved For Release 2001/03/05 CIA RDP82-00457R007300450014-1